

# TYPE D – Drum

D

## 3 Phase

### Flow (CFM)

Size <sup>(1)</sup>	Model	HP	RPM <sup>(2)</sup>	Voltage <sup>(3)</sup>	Steel <sup>(4)</sup>	Nylon <sup>(4)</sup>	Cast Alum. <sup>(4)</sup>
24	D24B1	1	1765	208-230/460/3/60 VAC	7680	7790	8060
	D24B1.5	1.5	1750	208-230/460/3/60 VAC	8979	9140	9140
	D24B2	2	1745	208-230/460/3/60 VAC	9730	10300	10300
	D24B.75X	.75	1155	208-230/460/3/60 VAC	6852	7570	7570
30	D30B1.5	1.5	1750	208-230/460/3/60 VAC	11251	12500	12500
	D30B2	2	1745	208-230/460/3/60 VAC	12456	14300	14300
	D30B3	3	1765	208-230/460/3/60 VAC	14326	16800	16800
	D30B1X	1	1145	208-230/460/3/60 VAC	9624	11600	11600
	D30B1.5X	1.5	1170	208-230/460/3/60 VAC	11693	13500	13500
36	D36B5	5	1750	208-230/460/3/60 VAC	20268	24800	24800
	D36B2X	2	1170	208-230/460/3/60 VAC	15566	18100	18900
	D36B3X	3	1175	208-230/460/3/60 VAC	18500	21200	21200
	D36B5X	5	1175	208-230/460/3/60 VAC	22640	25000	25000
42	D42B3X	3	1175	208-230/460/3/60 VAC	20280	25700	25700
	D42B5X	5	1175	208-230/460/3/60 VAC	25450	30700	29600
	D42B7.5X	7.5	1175	208-230/460/3/60 VAC	30962	35100	34200
48	D48B3Z	3	865	208-230/460/3/60 VAC	25591	30200	30200
	D48B5X	5	1175	208-230/460/3/60 VAC	29803	35300	35300
	D48B7.5X	7.5	1175	208-230/460/3/60 VAC	34762	41100	41100

## 1 Phase

### Flow (CFM)

Size <sup>(1)</sup>	Model	HP	RPM <sup>(2)</sup>	Voltage <sup>(3)</sup>	Steel <sup>(4)</sup>	Nylon <sup>(4)</sup>	Cast Alum. <sup>(4)</sup>
24	D24C1	1	1745	115/208-230/1/60 VAC	7593	7700	7700
	D24C1.5	1.5	1745	115/208-230/1/60 VAC	8953	9330	9190
	D24C2	2	1750	115/208-230/1/60 VAC	9758	10800	10800
	D24C.75X	.75	1170	115/208-230/1/60 VAC	6941	7560	7560
30	D30C1.5	1.5	1745	115/208-230/1/60 VAC	11218	11900	11900
	D30C2	2	1750	115/208-230/1/60 VAC	12492	14300	14300
	D30C3	3	1750	208-230/460/1/60 VAC	14204	16500	16500
	D30C1.5X	1.5	1175	208-230/460/1/60 VAC	11743	13200	13200
36	D36C5	5	1730	208-230/460/1/60 VAC	20036	25000	25000
	D36C2X	2	1175	208-230/460/1/60 VAC	15632	18200	18200
	D36C3X	3	1160	208-230/460/1/60 VAC	18263	20900	20900
42	D42C3X	3	1160	208-230/460/1/60 VAC	20021	25300	25300

## Model Legend Key

**D**  
Fan Type

**36**  
Fan Blade Diameter

**B**  
3PH, VAC

**5**  
Motor HP

**-**  
RPM Code  
1800 Series

**-4LWC**  
Mounting Option

## Custom Finishes Include

Hot Dipped Galvanized

Aluminum

304 Stainless Steel

316 Stainless Steel

## Notes

(1) Size of the fan blade

(2) Two speed & variable speed options available

(3) 50Hz & 575V available

(4) Fan blade material. Galvanized steel is standard